Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	6	file adj system adj statement	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/03 17:01
S2	1	(file adj system adj statement) with ((query adj language adj statement) or sql or query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 17:58
S3	123	((file adj system adj statement) (open read write) near3 call) with ((query adj language adj statement) or sql or query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 19:21
S4	1	((file adj system adj statement) (open read write) near3 call) with ((query adj language adj statement) or sql or query) with transaction	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 17:59
S5	65	((file adj system adj statement) (open read write) near3 call) with ((query adj language adj statement) or sql or query) and ("707/".ccls.)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 18:00
S6	57	execut\$3 with file adj system with transaction	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 18:05
S7	4	execut\$3 with file adj system with transaction same (SQL or query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 18:14
S8	1	file adj system adj command with (SQL or query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 18:08
S9	2	execut\$3 with file adj system with within with (SQL or query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 18:40

S10	56	filestream	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 18:25
S11	42	filestream and database	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 18:18
S12	1	("6442748").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/09/01 18:25
S13	1	("6785690").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/09/01 18:39
S14	7	(open\$3 execut\$3 access\$3) with (file adj system) with within with (SQL or query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 18:50
S15	83	database adj data with file adj data	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 18:47
S16	2	database adj data with file adj data with together	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 18:47
S17	24274	database near2 field with stor\$3 file near3 location	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 18:57
S18	96	call near2 (open read write close) with transaction	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR .	ON	2006/09/01 18:54
S19	1	call near2 (open read write close) with transaction with statement	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 18:54

S20	96	call near2 (open read write close) with transaction same transaction	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 18:54
S21	5	call near2 (open read write close) with transaction same transaction same (SQL query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 18:54
S22	0	store near3 database near2 field with file near2 location near3 data	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 18:58
S23	0	store near3 database near2 field with file near2 location	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 18:59
S24	2	stor\$3 near3 database near2 field with file near2 location	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 19:00
S25	2	stor\$3 near3 database near2 field with file near3 location	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 19:01
S26	494	stor\$3 near3 database with file near3 location	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 19:01
S27	249	stor\$3 near3 database near2 (field location) with file near3 location	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 19:02
S28	2	stor\$3 near3 database near2 (field) with file near3 location	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR .	ON	2006/09/01 19:02
S29		stor\$3 near3 database near2 (pointer reference) with file near3 location	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 19:08

			-			
S30	0	query adj contains with (filesystem adj statement)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 19:08
S31	0	(SQL statement query) near2 (contain\$3 includ\$3) with (filesystem adj statement)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 19:09
532	715	(SQL statement query) near2 (contain\$3 includ\$3) with ((filesystem adj statement) or (open close read write))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 19:10
S33	38	(SQL statement query) near2 (contain\$3 includ\$3) with ((filesystem adj statement) or (open close read write)) with transaction	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 19:10
S34	0	((file adj system adj statement) (open read write) near3 call) with transactin	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR .	ON	2006/09/01 19:21
S35	121	((file adj system adj statement) (open read write) near3 call) with transaction	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 19:22
S36	13	((file adj system adj statement) (open read write) near3 call) with transaction same lock	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON .	2006/09/01 19:24
S37	2	(("6606626") or ("6607542")).PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/09/01 19:28
S38	2041	datalinks	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 19:28
S39	22	datalinks same db2	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 19:28

S40	5869	(write read update) near2 lock\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/03 11:07
S41	15	(write read update) near2 lock\$3 with row with database	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/03 11:08
S42	10	(write read) near2 lock\$3 with row with database	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/03 11:23
S43	89	user adj defined adj type with database	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/03 11:23
S44	10	user adj defined adj type near3 field with database	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/03 11:27
S45	11	user adj defined adj2 type near3 field with database	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/03 11:27
S46	11	user adj defined adj3 type near3 field with database	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/03 12:11
S47	5	read adj3 lock with read adj committed	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/03 12:29
S48	1	embedded with file adj system with SQL	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/03 12:29
S49	2	embedded with file adj system with (SQL query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/03 12:30

S50	96	embed\$3 with ((file adj system) (open read write close)) with (SQL query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/03 12:31
S52	61	embed\$3 near3 (SQL query) with ((file adj system) (open read write close))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/03 12:34
S53	44	access\$3 with (external) with (file document) with (SQL query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/03 12:47
S54	4	access\$3 with (external) adj (file document) with (SQL query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/03 12:48
S55	9	access\$3 with (external) adj2 (file document) with (SQL query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/03 12:48
S56	17.	access\$3 with (external) near2 (file document) with (SQL query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/03 12:48
S57	2	datalinks same locking	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/03 12:50
S58	28	datalinks same lock	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/03 12:50
S59	1	locking with isolation with DBMS	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/03 13:15
S60	9	locking with isolation same DBMS	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/03 13:21

S61	0	lock\$3 same DBMS same ((read write) adj lock) with row	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/03 13:22
S62	0	DBMS same ((read write) adj lock) with row	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/03 13:22
S63	38	((read write) adj lock) with row	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/03 13:23
S64	48	((read write) adj2 lock) with row	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/03 13:24
S65	30	((read write) adj2 lock) with row same (transact\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/03 13:44
S66	0	((read write) adj2 lock) with row same (transact\$3) same (UDT (user\$defined))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/03 15:14
S67	1	unif\$7 near2 file adj system with (query statement sql)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/03 15:16
S68	893	file adj system with (query statement sql)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/03 15:17
S69		file adj system with (query statement sql) same transaction	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/03 15:26
S70	1	("20050203903").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/09/03 16:54

S71	57	associat\$3 near2 statement with transaction	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/03 16:54
S72	17	associat\$3 near2 statement with transaction same (sql or query or file)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/03 16:54
S73	799	file adj system with (query sql)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/03 17:01
S74	25	file adj system with (query sql) with transaction	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/03 17:08
S75	28	hybrid near2 query	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/03 17:13
S76	127	open near2 file with query	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/03 17:14
S77	1	open near2 file with query same transaction	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/03 17:13
S78	3	open near2 file with during with query	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/03 17:14
S79	9	open near2 file with (within during) with query	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/03 17:15
S80	14	open near2 file with (within during) with (query sql statement)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/03 17:17

S81	14	open near2 file with (within during) with (query sql statement)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 17:17
-----	----	---	--	----	----	------------------